Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY
BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 35 :: :: NUMBER 16

APRIL 16 - - - 1920

SPECIAL ARTICLES

Tellurium as a Health Hazard in Industry
The Community Without a Physician
Botulism Made Reportable in Oregon

WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

UNITED STATES PUBLIC HEALTH SERVICE.

HUGH S. CUMMING, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

ASST. SURG. GEN. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2 PER YEAR

CONTENTS.

Page.

The importance of tellurium as a health hazard in industry—A preliminary report 939
The community without a physician—The plan of an isolated community in Wisconsin for securing competent medical attention 955
Botulism made reportable in Oregon 957
Deaths during week ended April 3, 1920:
In certain large cities of the United States 958
Death claims reported by insurance companies 958

PREVALENCE OF DISEASE.

United States:
Current State summaries—
Telegraphic reports for week ended April 10, 1920 959
Kentucky report for week ended April 3, 1920 962
Anthrax—New York, N. Y., and Philadelphia, Pa 963
Cerebrospinal meningitis—City reports for week ended March 27, 1920 963
Influenza—City reports for week ended March 27, 1920 963
Leprosy—New Orleans, La., San Francisco, Calif., and Washington, D. C. 964
Lethargic encephalitis—Detroit, Mich.—Week ended March 27, 1920 964
Malaria—Birmingham, Ala., Dallas, Tex., Richmond, Va., and Rome, Ga. 964
Pellagra—City reports for week ended March 27, 1920 965
Plague (rodent)—New Orleans, La 965
Pneumonia (all forms)—City reports for week ended March 27, 1920 965
Poliomyelitis (infantile paralysis)—City reports for week ended March 27, 1920 967
Rabies in animals—Independence, Mo.—Week ended March 27, 1920 967
Smallpox—City reports for week ended March 27, 1920 967
Tetanus—Los Angeles, Calif., Orange, N. J., San Francisco, Calif., and Tuscaloosa, Ala 968
Typhoid fever—City reports for week ended March 27, 1920 968
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended March 27, 1920 969
Foreign and Insular:
Australia—Animal hair—Measures against importation of manufactured articles 975
Austria—Compulsory notification—Influenza 975
Cuba—Communicable diseases—Habana 975
Japan—Influenza—September, 1919–February, 1920 976
Peru—Proposed sanitation—Paita 976
Switzerland—Influenza 976
Venezuela—Influenza—Malaria—January–March, 1919 977
Influenza—Reports received during the week ended April 16, 1920 977

Foreign and Insular—Continued.
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended April 16, 1920— Page.
Cholera 979
Plague 979
Smallpox 979
Typhus fever 980
Reports received from December 27, 1919, to April 9, 1920—
Cholera 981
Plague 982
Smallpox 983
Typhus fever 987
Yellow fever 988